

Entry Max

Code	Model	Dimensions LxWxH cm			
P07EN10089	MAX 12L	↔ 134	↗ 92	↕ 68	
	Control	Chamber height cm		Cooking surface cm	
	Manual	15		105x70	
	Pizza Capacity	Max Temperature		Weight Kg	
	6 x Ø 30/34	 450 °C		 177	
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	19,80	400	3N+T	50/60	



Entry Max

Code

P07EN10089

Model

MAX 12L

General Features

Stackable up to 3 single units.

Available in the version with a completely refractory stone.

Reduced heating, cooking times, and total energy consumption.

Reaches up to 450°C for all baking needs.



Entry Max


Code

P07EN10089

Model

MAX 12L

Options



ENTRY MAX REFRACTORY CHAMBER

INTERNAL CHAMBER COVERED WITH REFRACTORY STONE

Cooking surface dimensions (L x W x H cm)

Code



102x68,5

S950O65011



Entry Max

Code
P07EN10089

Model
MAX 12L

Accessories



SUPPORT ENTRY MAX
SUPPORT IN STAINLESS STEEL

	Code	Model	Size with feet cm	Size with wheels cm	Internal dimensions	Peso
	P11FN55007	S12L	132x82x85/88	S12L 132x82x86	115x65x53	30

Option **wheels**
Set of 4 rotating wheels 2 con freno + 2 senza freno


 Code
S66RU65003



Entry Max

Code
P07EN10089

Model
MAX 12L



MOD	COD	DIMENSIONS (cm)		
		L	P	H
4	P07EN10083	99	92	38
6	P07EN10084	99	127	38
6L	P07EN10085	134	92	38
9	P07EN10086	134	127	38
8	P07EN10087	99	92	68
12	P07EN10088	99	127	68
12L	P07EN10089	134	92	68
18	P07EN10090	134	127	68

