

Entry Max

Code	Model	Dimensions LxWxH cm			
P07EN10090	MAX 18	↔ 134	↗ 127	↕ 68	
		Control	Chamber height cm	Cooking surface cm	
		Manual	15	105x105	
		Pizza Capacity	Max Temperature	Weight Kg	
		9 x Ø 30/34	 450 °C	 235	
		Total Power KW	Voltage V	Phases Ph	Frequency Hz
		25,80	400	3N+T	50/60



Entry Max

Code

P07EN10090

Model

MAX 18

General Features

Stackable up to 3 single units.

Available in the version with a completely refractory stone.

Reduced heating, cooking times, and total energy consumption.

Reaches up to 450°C for all baking needs.



Entry Max


Code

P07EN10090

Model

MAX 18

Options



ENTRY MAX REFRACTORY CHAMBER

INTERNAL CHAMBER COVERED WITH REFRACTORY STONE

Cooking surface dimensions (L x W x H cm)

Code



102x103,5

S950065012



Entry Max

Code
P07EN10090

Model
MAX 18

Accessories



SUPPORT ENTRY MAX
SUPPORT IN STAINLESS STEEL

	Code	Model	Size with feet cm	Size with wheels cm	Internal dimensions	Peso
	P11FN55008	S18	132x112x85/88	S18 132x112x86	115x95x53	38

Option **wheels**
Set of 4 rotating wheels 2 con freno + 2 senza freno

 Code
S66RU65003



Entry Max

Code
P07EN10090

Model
MAX 18

Accessories



ENTRY MAX HOOD

STAINLESS STEEL HOOD SMOKE OUTLET DIAMETER 125-200mm

	Code	Model	Voltage V	Phases Ph	Frequency Hz	Light	Dimensions cm	Peso
	P13EN10013	K9 - K18	230	1N + T	50	S	134x123x15	16

Option

EXTRACTOR HOOD MOTOR

ELECTRIC SUCTION MOTOR (POWER CONSUMPTION 50 W) With speed adjustment - power 313 m3/h


	Code	Power Supply V	Phases Ph	Frequency Hz	Net weight Kg
	S66MT55001	230	1N + T	50	3



Entry Max

Code
P07EN10090

Model
MAX 18



MOD	COD	DIMENSIONS (cm)		
		L	P	H
4	P07EN10083	99	92	38
6	P07EN10084	99	127	38
6L	P07EN10085	134	92	38
9	P07EN10086	134	127	38
8	P07EN10087	99	92	68
12	P07EN10088	99	127	68
12L	P07EN10089	134	92	68
18	P07EN10090	134	127	68

