

Entry Max

Code	Model	Dimensions LxWxH cm			
P07EN10087	MAX 8	↔ 99	↗ 92	↕ 68	
	Control	Chamber height cm	Cooking surface cm		
	Manual	15	70x70		
	Pizza Capacity	Max Temperature		Weight Kg	
	4 x Ø 30/34	 450 °C	 149		
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	11,20	400	3N+T	50/60	



Entry Max

Code

P07EN10087

Model

MAX 8

General Features

Stackable up to 3 single units.

Available in the version with a completely refractory stone.

Reduced heating, cooking times, and total energy consumption.

Reaches up to 450°C for all baking needs.



Entry Max

Code

P07EN10087

Model

MAX 8

Options



ENTRY MAX REFRACTORY CHAMBER

INTERNAL CHAMBER COVERED WITH REFRACTORY STONE

Cooking surface dimensions (L x W x H cm)

Code



67x68,5

S950065009



Entry Max

Code
P07EN10087

Model
MAX 8

Accessories



SUPPORT ENTRY MAX
SUPPORT IN STAINLESS STEEL

	Code	Model	Size with feet cm	Size with wheels cm	Internal dimensions	Peso
	P11FN55005	S8	99x82x85/88	S8 99x82x86	82x65x53	28

Option **wheels**
Set of 4 rotating wheels 2 con freno + 2 senza freno

 Code
S66RU65003



Entry Max

Code
P07EN10087

Model
MAX 8

Accessories



ENTRY MAX HOOD

STAINLESS STEEL HOOD SMOKE OUTLET DIAMETER 125-200mm

	Code	Model	Voltage V	Phases Ph	Frequency Hz	Light	Dimensions cm	Peso
	P13EN10010	K4-K8	230	1N + T	50	S	99x88x15	10

Option

EXTRACTOR HOOD MOTOR

ELECTRIC SUCTION MOTOR (POWER CONSUMPTION 50 W) With speed adjustment - power 313 m3/h


	Code	Power Supply V	Phases Ph	Frequency Hz	Net weight Kg
	S66MT55001	230	1N + T	50	3



Entry Max

Code
P07EN10087

Model
MAX 8



MOD	COD	DIMENSIONS (cm)		
		L	P	H
4	P07EN10083	99	92	38
6	P07EN10084	99	127	38
6L	P07EN10085	134	92	38
9	P07EN10086	134	127	38
8	P07EN10087	99	92	68
12	P07EN10088	99	127	68
12L	P07EN10089	134	92	68
18	P07EN10090	134	127	68

