

M&R GASTRO SERVICE · REVISION 1.0

Technisches Servicedossier

Gärschrank (stehend)

Nur für qualifiziertes Servicepersonal. Vor Arbeiten alle Energiequellen trennen, sichern und die Spannungsfreiheit prüfen.

Geltungsbereich: MRG.PFG8 · MRG.MF8

01 Servicehinweise

- Explosionszeichnung, Ersatzteilliste und elektrischer Schaltplan sind in der Originaldokumentation enthalten.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installation, Anschluss, Wartung und Reparaturen dürfen nur durch qualifiziertes Fachpersonal erfolgen.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier technique service

Armoire de fermentation (verticale)

Réservé au personnel technique qualifié. Avant toute intervention, couper, condamner et vérifier l'absence de toute énergie.

Champ d'application: MRG.PFG8 · MRG.MF8

01 Notes de service

- La documentation d'origine contient la vue éclatée, la liste des pièces de rechange et le schéma électrique.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

L'installation, le raccordement, l'entretien et les réparations doivent être réalisés par du personnel qualifié.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier tecnico di assistenza

Armadio per fermentazione (verticale)

Riservato al personale tecnico qualificato. Prima di ogni intervento scollegare, bloccare e verificare l'assenza di tutte le fonti di energia.

Campo di applicazione: MRG.PFG8 · MRG.MF8

01 Note di assistenza

- La documentazione originale include esploso, elenco ricambi e schema elettrico.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installazione, collegamento, manutenzione e riparazioni devono essere eseguiti esclusivamente da personale qualificato.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Technical service dossier

Fermentation cabinet (upright)

For qualified service personnel only. Before work, isolate, lock out and verify all energy sources are absent.

Scope: MRG.PFG8 · MRG.MF8

01

Service notes

- The original documentation includes an exploded view, a spare parts list and the electrical circuit diagram.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installation, connection, maintenance and repairs must only be carried out by qualified personnel.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

MRG.PFG8 · MRG.MF8

Verified technical reference

01 EXPLODED P2

FERMENTATION CABINET

A GENERAL INFORMATION

Before installing the appliance, read operation and maintenance instructions carefully. Wrong installation and part changing may damage the product or may cause injury on people. These are not in our company's responsibility to damage the appliance intentionally, negligence, detriments because of disobeying instructions and regulations, wrong connections. Unauthorized intervention to appliance invalidates the warranty.

1. This instruction manual should be kept in a safe place for future reference.
2. **Installation should be made in accordance with ordinances and security rules of that country by a qualified service personnel.**
3. This appliance has to be used by trained person.
4. Please turn off the appliance immediately in the event of malfunction or failure. The appliance should be repaired only by authorized service personnel. Please demand original spare part.


MRG.PFG8 · MRG.MF8

Verified technical reference

02 EXPLODED P9

FERMENTATION CABINET

G SPARE PART LIST- EXPLODING DRAWINGS



MRG.PFG8 · MRG.MF8

Verified technical reference

03 EXPLODED P10

FERMENTATION CABINET

G SPARE PART LIST- EXPLODING DRAWINGS

PRODUCT CODE: MF8		
NO	PRODUCT NAME	P.CODE
1	0-1 KEY	M.ELK-SLT-ANL-003
2	SIGNAL LAMP	M.ELK-LMB-SNY-007
3	BUTTON	JP.M.AKS-DGM-MUH-005
4	TICKET	JP.M.AKS-ETK-LKS-017
5	30-90 °C THERMOSTAT	M.ELK-MEK-TRM1-003
6	BUTTON SOCKET	M.AKS-DGM-SKT-004
7	ELECTRIC PANEL	YSC-KNX.KFR-PN-0416
8	Ø 22*7 MM MAGNET	M.MIK-PG-001
9	ASH-BIN SHEET	YSC-KNX.KMB-PN-0052
10	BATH STRAIN	YSC-KNX.KFR-PN-0421
11	RESISTANCE HANGER SHEET	YSC-KNX.KFR-PN-0423
12	875W RESISTANCE	M.ELK-RZS-BRU-MF4-001
13	RESISTANCE COVER	YSC-KNX.KFR-PN-0420
14	BACK SHEET METAL	YSC-KNX.KMB-PN-0051
15	RESISTANCE CONNECTION S/S SHEET	YSC-KNX.KFR-PN-0425
16	220V 350W RESISTANCE	M.ELK-RZS-KRM-MF-001
17	FAN 120*120*38 220V AC	M.ELK-HVL-KFN-004
18	FAN SHEET	YSC-KNX.KFR-LZ-0259
19	TERMINAL	M.ELK-KLM-PRS-001
20	PG-11 CABLE FITTING	M.ELK-RKR-PLS-003
21	TRAY KIT	YSC-KNX.KFR-LZ-0168
22	15 CM LEG	M.AKS-AYK-INX-001
23	CHASSIS	-
24	COVER	ARA-KNX.MF-0002
25	HINGE SHEET	YSC-KNX.KFR-PN-0426
26	GLASS SHAFT	YSC-KNX.KFR-PN-0418
27	578MM*656MM*8MM GLASS	M.CAM-BTMP-005
28	HANDLE-310 MM	M.AKS-KLP-END-001


MRG.PFG8 · MRG.MF8

Verified technical reference

04 WIRING P11

FERMENTATION CABINET

H ELECTRIC CIRCUIT SCHEMA



I	A1	T1	R1	FN
Terminal	Large lighted 0-1 switch	Thermostat 30-90°C	Heater resistance 1000 W 230V	Inner air circulation fan 230V