

M&R GASTRO SERVICE · REVISION 1.0

Technisches Servicedossier

Warmhaltevitrine

Nur für qualifiziertes Servicepersonal. Vor Arbeiten alle Energiequellen trennen, sichern und die Spannungsfreiheit prüfen.

Geltungsbereich: MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

01 Servicehinweise

- Enthält Explosionszeichnung und Ersatzteilliste (siehe Abschnitt G).
- Elektrischer Schaltplan/Schema vorhanden (siehe Abschnitt H).

EXPLODED VIEW
Yes

WIRING
Yes

PARTS LIST
Yes

VISUAL PAGES
4

Installation, Anschluss, Wartung und Reparaturen dürfen nur durch qualifiziertes Fachpersonal erfolgen.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier technique service

Vitrine chauffante

Réservé au personnel technique qualifié. Avant toute intervention, couper, condamner et vérifier l'absence de toute énergie.

Champ d'application: MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

01 Notes de service

- Contient dessin en éclaté et liste des pièces de rechange (voir section G).
- Schéma électrique disponible (voir section H).

EXPLODED VIEW
Yes

WIRING
Yes

PARTS LIST
Yes

VISUAL PAGES
4

L'installation, le raccordement, l'entretien et les réparations doivent être réalisés par du personnel qualifié.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier tecnico di assistenza

Vetrina riscaldata

Riservato al personale tecnico qualificato. Prima di ogni intervento scollegare, bloccare e verificare l'assenza di tutte le fonti di energia.

Campo di applicazione: MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

01 Note di assistenza

- Contiene disegno esploso e lista ricambi (vedi sezione G).
- Schema elettrico incluso (vedi sezione H).

EXPLODED VIEW
Yes

WIRING
Yes

PARTS LIST
Yes

VISUAL PAGES
4

Installazione, collegamento, manutenzione e riparazioni devono essere eseguiti esclusivamente da personale qualificato.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Technical service dossier

Hot display unit

For qualified service personnel only. Before work, isolate, lock out and verify all energy sources are absent.

Scope: MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

01 Service notes

- Includes exploded view and spare parts list (see section G).
- Electrical circuit diagram/schema included (see section H).

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installation, connection, maintenance and repairs must only be carried out by qualified personnel.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

Verified technical reference

01 EXPLODED P2

HOT DISPLAY UNIT

A GENERAL INFORMATION

Before installing the appliance, read operation and maintenance instructions carefully. Wrong installation and part changing may damage the product or may cause injury on people. These are not in our company's responsibility to damage the appliance intentionally, negligence, detriments because of disobeying instructions and regulations, wrong connections. Unauthorized intervention to appliance invalidates the warranty.


1. This instruction manual should be kept in a safe place for future reference.
2. Installation should be made in accordance with ordinances and security rules of that country by a qualified service personnel.
3. This appliance has to be used by trained person.
4. Please turn off the appliance immediately in the event of malfunction or failure. The appliance should be repaired only by authorized service personnel. Please demand original spare part.

MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

Verified technical reference

02 EXPLODED P9

HOT DISPLAY UNIT



G SPARE PART LIST-EXPLODING DRAWING

NO	ÜRÜN ADI	ÜRÜN KODU
1	228MM*672MM*3 MM TWISTED BLACK PLEXY	M.CAM-MKA-005
2	E-27 PORCELAIN CASE	M.ELK-LMB-DUY-002
3	GENERAL/OSRAM 150W BR125 INFARED BULB	M.ELK-LMB-ARM-007
4	CHASSIS	-
5	R1043 230V 2*500W 660*520*8MM HOT GLASS TWO	M.ELK-RZS-CAM-001
6	SOCKET WARNING LAMP - GREEN	M.ELK-LMB-SNY-001
7	30-90 THERMOSTAT	M.ELK-MEK-TRM1-003
8	THERMOSTAT BUTTON	M.AKS-DGM-MUH-001
9	ILLUMINATED SQUARE SWITCH-GREEN-10A-20V(CYBER)	M.ELK-SLT-ANL-002
10	M10*35 RUBBER FOOT (STOVE TOP DEVICE)	M.AKS-AYK-PLS-002


MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

Verified technical reference

03 WIRING P11

HOT DISPLAY UNIT

H ELECTRIC CIRCUIT SCHEMA



STU.01

A1-A2	T1-T2	R1-R2	L1-L2	L3-L4
LARGE LIGHTED 0-1 SWITCH	THERMOSTAT 30-90°C	RESISTANCE 500W	UV LAMP 150W	THERMOSTAT OPEN INDICATOR LAMP


MRG.STU.01 · MRG.STU.02 · MRG.GP.40 · MRG.AD.8060 · MRG.AD.11060 · MRG.PD.8060 · MRG.PD.11060

Verified technical reference

04 WIRING P12

HOT DISPLAY UNIT

H ELECTRIC CIRCUIT SCHEMA



STU.02

A1-A2-A3	T1-T2-T3	R1-R2-R3	L1-L2-L3	L4-L5-L6
LARGE LIGHTED 0-1 SWITCH	THERMOSTAT 30-90°C	RESISTANCE 500W	UV LAMP 150W	THERMOSTAT OPEN INDICATOR LAMP