

M&R GASTRO SERVICE · REVISION 1.0

Technisches Servicedossier

Soft- und Ayrnbereiter – 320×400×700 mm

Nur für qualifiziertes Servicepersonal. Vor Arbeiten alle Energiequellen trennen, sichern und die Spannungsfreiheit prüfen.

Geltungsbereich: MRG.SY.19

01 Servicehinweise

- Explosionszeichnung und Ersatzteilliste sind im Kapitel G des Handbuchs enthalten.
- Schaltplan ist nicht im Handbuch enthalten.

EXPLODED VIEW

Yes

WIRING

—

PARTS LIST

Yes

VISUAL PAGES

3

Installation, Anschluss, Wartung und Reparaturen dürfen nur durch qualifiziertes Fachpersonal erfolgen.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier technique service

Appareil à jus et ayran – 320×400×700 mm

Réservé au personnel technique qualifié. Avant toute intervention, couper, condamner et vérifier l'absence de toute énergie.

Champ d'application: MRG.SY.19

01 Notes de service

- Vue éclatée et liste des pièces de rechange figurent au chapitre G du manuel.
- Le schéma électrique n'est pas fourni dans le manuel.

EXPLODED VIEW

Yes

WIRING

—

PARTS LIST

Yes

VISUAL PAGES

3

L'installation, le raccordement, l'entretien et les réparations doivent être réalisés par du personnel qualifié.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier tecnico di assistenza

Macchina per succo e ayran – 320×400×700 mm

Riservato al personale tecnico qualificato. Prima di ogni intervento scollegare, bloccare e verificare l'assenza di tutte le fonti di energia.

Campo di applicazione: MRG.SY.19

01 Note di assistenza

- Disegno esploso e elenco ricambi sono inclusi nel capitolo G del manuale.
- Lo schema elettrico non è incluso nel manuale.

EXPLODED VIEW

Yes

WIRING

—

PARTS LIST

Yes

VISUAL PAGES

3

Installazione, collegamento, manutenzione e riparazioni devono essere eseguiti esclusivamente da personale qualificato.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Technical service dossier

Juice and Ayrar Maker – 320×400×700 mm

For qualified service personnel only. Before work, isolate, lock out and verify all energy sources are absent.

Scope: MRG.SY.19

01

Service notes

- Exploded view and spare parts list are provided in chapter G of the manual.
- Wiring diagram is not provided in the manual.

EXPLODED VIEW

Yes

WIRING

—

PARTS LIST

Yes

VISUAL PAGES

3

Installation, connection, maintenance and repairs must only be carried out by qualified personnel.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

MRG.SY.19

Verified technical reference

01 EXPLODED P2

JUICE AND AYRAN MAKER

A GENERAL INFORMATION

Before installing the appliance, read operation and maintenance instructions carefully. Wrong installation and part changing may damage the product or may cause injury on people. These are not in our company's responsibility to damage the appliance intentionally, negligence, detriments because of disobeying instructions and regulations, wrong connections. Unauthorized intervention to appliance invalidates the warranty.

1. This instruction manual should be kept in a safe place for future reference.
2. Installation should be made in accordance with ordinances and security rules of that country by a qualified service personnel.
3. This appliance has to be used by trained person.
4. Please turn off the appliance immediately in the event of malfunction or failure. The appliance should be repaired only by authorized service personnel. Please demand original spare part.


MRG.SY.19

Verified technical reference

02 EXPLODED P9

JUICE AND AYRAN MAKER

G SPARE PART LIST-EXPLODING DRAWING



MRG.SY.19

Verified technical reference

03 EXPLODED P10

JUICE AND AYRAN MAKER

G SPARE PART LIST-EXPLODING DRAWING

PRODUCT CODE: SY.19			
NO	PRODUCT NAME		P.CODE
1	TANK LID	Y.	SY.19.001
2	MIXER	Y.	SY.19.002
3	ACTUATING SHAFT	Y.	SY.19.003
4	TANK	Y.	SY.19.004
5	MIXER	Y.	SY.19.005
6	TAP (SILICONE)	Y.	SY.19.006
7	SILICONE GASKET (TANK)	Y.	SY.19.007
8	ORING	Y.	SY.19.008
9	DRAINAGE PIPE	Y.	SY.19.009
10	PROPULSION MOTOR	Y.	SY.19.010
11	THERMOSTAT	Y.	SY.19.011
12	CONTROL PANEL SHEETMETAL	Y.	SY.19.012
13	START-STOP BUTTON	Y.	SY.19.013
14	BUTTON GUARD (SILICONE)	Y.	SY.19.014
15	TAP GROUP	Y.	SY.19.015
16	THERMOSTAT ADJUSTMENT BUTTON	Y.	SY.19.016
17	FRONT PANEL SHEETMETAL	Y.	SY.19.017
18	DRIP TRAY A LID	Y.	SY.19.018
19	DRIP TRAY	Y.	SY.19.019
20	FEET	Y.	SY.19.020
21	FAN MOTOR	Y.	SY.19.021
22	OUTER BASE FRAME	Y.	SY.19.022
23	BACK LID SHEETMETAL	Y.	SY.19.023
24	TANK LOCK	Y.	SY.19.024