

M&R GASTRO SERVICE · REVISION 1.0

Technisches Servicedossier

Pizzaofen (elektrisch)

Nur für qualifiziertes Servicepersonal. Vor Arbeiten alle Energiequellen trennen, sichern und die Spannungsfreiheit prüfen.

Geltungsbereich: MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

01 Servicehinweise

- Explosionszeichnungen und Ersatzteillisten für die Modellreihe sind im Dokument enthalten.
- Elektrische Schaltpläne (Stromlaufpläne) für die Modellvarianten sind im Dokument enthalten.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

5

Installation, Anschluss, Wartung und Reparaturen dürfen nur durch qualifiziertes Fachpersonal erfolgen.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier technique service

Four à pizza (électrique)

Réservé au personnel technique qualifié. Avant toute intervention, couper, condamner et vérifier l'absence de toute énergie.

Champ d'application: MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

01 Notes de service

- Dessins éclatés et listes de pièces détachées pour la gamme inclus dans le document.
- Schémas électriques (circuit) pour les variantes de modèles inclus dans le document.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

5

L'installation, le raccordement, l'entretien et les réparations doivent être réalisés par du personnel qualifié.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier tecnico di assistenza

Forno per pizza (elettrico)

Riservato al personale tecnico qualificato. Prima di ogni intervento scollegare, bloccare e verificare l'assenza di tutte le fonti di energia.

Campo di applicazione: MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

01 Note di assistenza

- Disegni esplosi e liste ricambi per la gamma inclusi nel documento.
- Schema elettrico (circuito) per le varianti di modello incluso nel documento.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

5

Installazione, collegamento, manutenzione e riparazioni devono essere eseguiti esclusivamente da personale qualificato.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Technical service dossier

Pizza oven (electric)

For qualified service personnel only. Before work, isolate, lock out and verify all energy sources are absent.

Scope: MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

01

Service notes

- Exploded drawings and spare-parts lists for the product family are included in the document.
- Electrical circuit schematics for the model variants are included in the document.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

5

Installation, connection, maintenance and repairs must only be carried out by qualified personnel.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69


MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

Verified technical reference

01 EXPLODED P11

PIZZA OVEN (ELECTRIC)

G SPARE PART LIST- EXPLODING DRAWINGS



PRODUCT CODE : 6		
NO	PRODUCT NAME	P.CODE
1	PG-16 CABLE FITTING	JP.M.ELK-RKR-PLS-001
2	CHASSIS	-
3	915*305*18 MM PIZZA STONE	M.TAS-FRN-PZ-003
4	COVER SHEET	YSC-KNX.EPZ-PN-0218
5	LAMP	JP.M.ELK-LMB-AMP-002
6	1250 W 230V RESISTANCE	M.ELK-RZS-BRU-PZ6-003
7	LC1K0901M7 CONTACTOR	JP.M.ELK-KNT-KNT-020
8	85-450 °C THERMOSTAT	M.ELK-MEK-TRM1-002
9	BUTTON SOCKET	M.AKS-DGM-SKT-004
10	BUTTON	JP.M.AKS-DGM-MUH-005
11	TICKET	M.AKS-ETK-ALM-012
12	SIGNAL LAMP	M.ELK-LMB-SNY-002
13	0-1 KEY	M.ELK-SLT-ANL-003
14	31F0122-4AC00 0-1 3*20A SWITCH	JP.M.ELK-SLT-PKO-003
15	Ø 60 0-500 °C THERMOMETER	M.ELK-EDM-DGT-006
16	GLASS WICK	HCN-ELY-KZ-001
17	860MM*170MM*6MM GLASS	M.CAM-TMP-020
18	COVER	ARA-KNX.EPZ-0004
19	WEIGHT SHAFT	YTL-KNX.EPZ-KS-0009
20	SUPPORT SHEET	YSC-KNX.EPZ-LZ-0045
21	M8 HANDLE	JP.M.AKS-KLP-BKL-002
22	COVER HANDLE	YSC-KNX.EPZ-LZ-0058
23	LID FITTING	YTL-KNX.GPZ-KS-0002


MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

Verified technical reference

02 EXPLODED P12

PIZZA OVEN (ELECTRIC)

G SPARE PART LIST- EXPLODING DRAWINGS



PRODUCT CODE: 3		
NO	PRODUCT NAME	P.CODE
1	PG-16 CABLE FITTING	JP.M.ELK-RKR-PLS-001
2	CHASSIS	-
3	LC1K0901M7 CONTACTOR	JP.M.ELK-KNT-KNT-020
4	700*350*18 MM PIZZA STONE	M.TAS-FRN-PZ-014
5	COVER SHEET	YSC-KNX.EPZ-PN-0218
6	LAMP	JP.M.ELK-LMB-AMP-002
7	220V 1250W RESISTANCE	M.ELK-RZS-BRU-PZ4-005
8	85-450 °C THERMOSTAT	M.ELK-MEK-TRM1-002
9	TICKET	M.AKS-ETK-ALM-012
10	BUTTON SOCKET	M.AKS-DGM-SKT-004
11	BUTTON	JP.M.AKS-DGM-MUH-005
12	3LF0122-4AC00 0-1 3*20A SWITCH	JP.M.ELK-SLT-PKO-003
13	0-1 KEY	M.ELK-SLT-ANL-003
14	Ø 60 0-500 °C THERMOMETER	M.ELK-EDM-DGT-006
15	SIGNAL LAMP	M.ELK-LMB-SNY-002
16	COVER	ARA-KNX.EPZ-0026
17	580MM*140MM*6MM GLASS	M.CAM-TMP-012
18	GLASS WICK	HCN-ELY-KZ-001
19	WEIGHT SHAFT	YTL-KNX.EPZ-KS-0045
20	SUPPORT SHEET	YSC-KNX.EPZ-LZ-0045
21	M8 HANDLE	JP.M.AKS-KLP-BKL-002
22	COVER HANDLE	YSC-KNX.EPZ-LZ-0058
23	LID FITTING	YTL-KNX.GPZ-KS-0002


MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

Verified technical reference

03 EXPLODED P13

PIZZA OVEN (ELECTRIC)

G SPARE PART LIST- EXPLODING DRAWINGS



PRODUCT CODE: 9		
NO	PRODUCT NAME	P.CODE
1	PG-16 CABLE FITTING	JP.M.ELK-RKR-PLS-001
2	CHASSIS	-
3	COVER SHEET	YSC-KNX.EPZ-PN-0218
4	LAMP	JP.M.ELK-LMB-AMP-002
5	915*305*18 MM PIZZA STONE	M.TAS-FRN-PZ-003
6	LC1K0901M7 CONTACTOR	JP.M.ELK-KNT-KNT-020
7	1250 W 230V RESISTANCE	M.ELK-RZS-BRU-PZ6-003
8	85-450 °C THERMOSTAT	M.ELK-MEK-TRM1-002
9	TICKET	M.AKS-ETK-ALM-012
10	BUTTON SOCKET	M.AKS-DGM-SKT-004
11	BUTTON	JP.M.AKS-DGM-MUH-005
12	3LF0122-4AC00 0-1 3*20A SWITCH	JP.M.ELK-SLT-PKO-003
13	0-1 KEY	M.ELK-SLT-ANL-003
14	Ø 60 0-500 °C THERMOMETER	M.ELK-EDM-DGT-006
15	SIGNAL LAMP	M.ELK-LMB-SNY-002
16	COVER	ARA-KNX.EPZ-0004
17	860MM*170MM*6MM GLASS	M.CAM-TMP-020
18	GLASS WICK	HCN-ELY-KZ-001
19	WEIGHT SHAFT	YTL-KNX.EPZ-KS-0009
20	SUPPORT SHEET	YSC-KNX.EPZ-LZ-0045
21	M8 HANDLE	JP.M.AKS-KLP-BKL-002
22	COVER HANDLE	YSC-KNX.EPZ-LZ-0058
23	LID FITTING	YTL-KNX.GPZ-KS-0002


MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

Verified technical reference

04 WIRING P17

PIZZA OVEN (ELECTRIC)

H ELECTRIC CIRCUIT SCHEMA



I	Terminal
A1	Açma/Kapama ana şalteri (0-1) üç fazlı
A2	İç aydınlatma anahtarı
C1	Üst ısıtıcı kontaktörü 20A 230V
C2	Alt ısıtıcı kontaktörü 20A 230V
T1	Üst ısıtıcı termostat (50-400°C)
T2	Alt ısıtıcı termostat (50-400°C)
R1	Üst ısıtıcı rezistans grubu 1250W 230V
R2	Alt ısıtıcı rezistans grubu 1250W 230V
L1.L2	Termostat sinyal lambası
TC	Termokupl (TC-M06-L 150-K01.J)


MRG.4 · MRG.5 · MRG.6 · MRG.8 · MRG.9

Verified technical reference

05 WIRING P18

PIZZA OVEN (ELECTRIC)

H ELECTRIC CIRCUIT SCHEMA



9

I	Terminal
A1	ON/OFF main switch (0-1) 3 phases
A2	Inner lighting switch
C1	Upper heater contactor 20A 230V
C2	Lower heater contactor 20A 230V
T1	Upper heater thermostat (50-400°C)
T2	Lower heater thermostat (50-400°C)
R1	Upper heater resistance group 1250W 230V
R2	Lower heater resistance group 1250W 230V
L1.L2	Thermostat signal lamp
TC	Thermocouple (TC-M06-L 150-K01.J)
T	Emko digital indicator ESM-3710