

M&R GASTRO SERVICE · REVISION 1.0

Technisches Servicedossier

Teeautomat mit Kanne

Nur für qualifiziertes Servicepersonal. Vor Arbeiten alle Energiequellen trennen, sichern und die Spannungsfreiheit prüfen.

Geltungsbereich: MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

01

Servicehinweise

- Explosionszeichnung und Ersatzteillisten sind für die Produkte vorhanden.
- Elektrischer Schaltplan / Stromlaufplan ist vorhanden.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installation, Anschluss, Wartung und Reparaturen dürfen nur durch qualifiziertes Fachpersonal erfolgen.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier technique service

Distributeur de thé avec verseuse

Réservé au personnel technique qualifié. Avant toute intervention, couper, condamner et vérifier l'absence de toute énergie.

Champ d'application: MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

01 Notes de service

- Vue éclatée et listes de pièces détachées disponibles pour les produits.
- Schéma électrique / plan de câblage disponible.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

L'installation, le raccordement, l'entretien et les réparations doivent être réalisés par du personnel qualifié.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Dossier tecnico di assistenza

Preparatore di tè con teiera

Riservato al personale tecnico qualificato. Prima di ogni intervento scollegare, bloccare e verificare l'assenza di tutte le fonti di energia.

Campo di applicazione: MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

01 Note di assistenza

- Disegno esploso e elenchi ricambi disponibili per i prodotti.
- Schema elettrico / di collegamento disponibile.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installazione, collegamento, manutenzione e riparazioni devono essere eseguiti esclusivamente da personale qualificato.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

M&R GASTRO SERVICE · REVISION 1.0

Technical service dossier

Tea maker with pot

For qualified service personnel only. Before work, isolate, lock out and verify all energy sources are absent.

Scope: MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

01 Service notes

- Exploded view and spare parts lists are provided for the products.
- Electric circuit schema / wiring diagram is provided.

EXPLODED VIEW

Yes

WIRING

Yes

PARTS LIST

Yes

VISUAL PAGES

4

Installation, connection, maintenance and repairs must only be carried out by qualified personnel.

M&R Gastro Service

shop@mr-gastro.ch · +41 58 668 69 69

+41 58 668 69 69

MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

Verified technical reference

01 EXPLODED P12

TEA MAKER WITH POT

G SPARE PART LIST-EXPLODING DRAWING

PRODUCT CODE:		DCY.250	
NO	PRODUCT NAME	P.CODE	
1	BASE FARME	Y.	DCY.250.001
2	FEET	Y.	DCY.250.002
3	CONTACTOR	Y.	DCY.250.003
4	BOWL	Y.	DCY.250.004
5	RESISTANCE	Y.	DCY.250.005
6	LID	Y.	DCY.250.006
7	POT	Y.	DCY.250.007
8	INDICATOR THERMOSTAT	Y.	DCY.250.008
9	TAP	Y.	DCY.250.009
10	PLATFORM	Y.	DCY.250.010
11	WARNING LAMP	Y.	DCY.250.011
12	THERMOSTAT	Y.	DCY.250.012
13	THERMOSTAT BUTTON	Y.	DCY.250.013
14	SWITCH (ON-OFF)	Y.	DCY.250.014


MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

Verified technical reference

02 EXPLODED P13

TEA MAKER WITH POT

G SPARE PART LIST-EXPLODING DRAWING



MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

Verified technical reference

03 EXPLODED P14

TEA MAKER WITH POT

G SPARE PART LIST-EXPLODING DRAWING

PRODUCT CODE: DCY.350		
NO	PRODUCT NAME	P.CODE
1	BASE FARME	Y. DCY.350.001
2	FEET	Y. DCY.350.002
3	CONTACTOR	Y. DCY.350.003
4	BOWL	Y. DCY.350.004
5	RESISTANCE	Y. DCY.350.005
6	LID	Y. DCY.350.006
7	POT	Y. DCY.350.007
8	INDICATOR THERMOSTAT	Y. DCY.350.008
9	TAP	Y. DCY.350.009
10	PLATFORM	Y. DCY.350.010
11	WARNING LAMP	Y. DCY.350.011
12	THERMOSTAT	Y. DCY.350.012
13	THERMOSTAT BUTTON	Y. DCY.350.013
14	SWITCH (ON-OFF)	Y. DCY.350.014


MRG.DCY.120 · MRG.DCY.250 · MRG.DCY.350

Verified technical reference

04 WIRING P15

TEA MAKER WITH POT

H ELECTRIC CIRCUIT SCHEMA



	CODE	KW
	DCY.120	2
	DCY.250	2,5
	DCY.350	3,5

T1	THERMOSTAT 30-120°C
R1	RESISTANCE 220V 2000 W
L1	THERMOSTAT SIGNAL LAMP
L2	THERMIC SIGNAL LAMP
A1	0-1 SWITCH
C1	RESISTANCE CONTACTOR 220V
LT	LIMIT THERMOSTAT 100°C